

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	8742	(713/150,168,169,171,189,193,194 or 380/28,44,277).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/05/30 13:38
2	BRS	L2	6	(mac or "message authentication code").clm. and (passcode).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/05/30 13:39
3	BRS	L3	2	2 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/05/30 13:39
4	BRS	L4	2253	(secret adj3 key).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/05/30 13:39
5	BRS	L5	133	(mac or "message authentication code").clm. and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/05/30 13:39

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L6	53	5 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/05/30 13:39
7	BRS	L7	1	contribution.clm. and 6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/05/30 13:39

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	1355	(mac or "message authentication code")with(password or pin or passcode or passphrase or password)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/05/30 13:07
2	BRS	L2	307	1 with(authent\$7 or valid\$5 or verif\$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/05/30 13:08
3	BRS	L3	34318	(shar\$3 or common or session)near6 key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/05/30 13:09
4	BRS	L4	7954	3 with(establish\$4 or creat\$3 or assign\$4 or associat\$3 or initial\$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/05/30 13:10
5	BRS	L5	9	2 same 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/05/30 13:10

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L6	32	3 same 2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/05/30 13:10